

|    | Tag    |    | SIRE           | Jul wgt | AVG WGT | YFW  | GWT% | MIC  | DEV  | CV   | SD   | %<30 |     |
|----|--------|----|----------------|---------|---------|------|------|------|------|------|------|------|-----|
| 1  | Gn 151 |    | Gun 026        | 110     | 13.6    | 5.1  | 139  | 18.6 | -0.2 | 17.5 | 3.3  | 0.6  |     |
| 2  | Gn 162 |    | Gun 026        | 100     | 3.6     | 4.3  | 118  | 18.2 | -0.6 | 14.7 | 2.7  | 0.2  |     |
| 3  | Gn 137 |    | Gun 026        | 100     | 3.6     | 4.0  | 109  | 19.6 | 0.8  | 12.6 | 2.5  | 0.0  |     |
| 4  | Y 349  |    | Back up        | 115     | 19.6    | 3.9  | 107  | 18.6 | -0.2 | 14.3 | 2.7  | 0.0  |     |
| 5  | W 011  |    | WP 245         | 93      | -3.4    | 4.3  | 118  | 18.2 | -0.6 | 18.0 | 3.3  | 0.2  |     |
| 6  | Y 310  |    |                | 95      | -1.4    | 3.9  | 107  | 19.9 | 1.1  | 13.8 | 2.7  | 0.4  |     |
| 7  | Rd 642 |    | Gun LB 361     | 101     | 4.6     | 3.9  | 107  | 20.5 | 1.7  | 14.2 | 2.9  | 0.8  |     |
| 8  | Gn 189 |    | Gun 026        | 91      | -5.4    | 3.3  | 90   | 18.7 | -0.1 | 14.0 | 2.6  | 0.0  |     |
| 9  | Or 579 |    | WP<br>486/L318 | 101     | -4.6    | 4.2  | 115  | 20.7 | 1.9  | 16.3 | 3.4  | 0.2  |     |
| 10 | Or 616 |    | WP<br>486/L318 | 104     | 7.6     | 3.1  | 85   | 19.4 | 0.6  | 14.0 | 2.7  | 0.6  |     |
| 11 | LB 379 |    | Gun 026        | 92      | -4.4    | 2.4  | 66   | 18.8 | 0.0  | 18.6 | 3.5  | 0.2  |     |
| 12 | Or 567 |    | WP<br>486/L318 | 94      | -2.2    | 4.3  | 118  | 18.7 | -0.1 | 14.0 | 2.6  | 0.6  |     |
| 13 | Or 642 |    | WP<br>486/L318 | 92      | -4.4    | 4.2  | 115  | 20.4 | 1.6  | 14.5 | 3.0  | 0.0  |     |
| 14 | LB 393 |    | WP 245         | 96      | -0.5    | 4.7  | 129  | 17.9 | -0.9 | 14.7 | 2.6  | 0.0  |     |
| 15 | Gn 113 |    | Gun 026        | 104     | 7.6     | 4.4  | 120  | 19.9 | 1.1  | 17.1 | 3.4  | 0.8  |     |
| 16 | Rd 650 |    | Gun LB 361     | 90      | -6.4    | 3.4  | 93   | 18.1 | -0.7 | 14.7 | 2.7  | 0.4  |     |
| 17 | LB 383 |    | WP 245         | 93      | -3.4    | 3.6  | 99   | 18.4 | -0.4 | 14.2 | 2.6  | 0.2  |     |
| 18 | W 054  |    | WP 245         | 104     | 7.6     | 5.0  | 137  | 18.2 | -0.6 | 13.9 | 2.5  | 0.6  |     |
| 19 | Rd 652 |    | Gun LB 361     | 99      | 2.6     | 3.8  | 104  | 18.8 | 0.0  | 14.9 | 2.8  | 0.4  |     |
| 20 | Gn 160 |    | Gun 026        | 99      | 2.6     | 3.7  | 101  | 18.7 | -0.1 | 14.5 | 2.7  | 0.2  |     |
| 21 | W 060  |    | WP 245         | 102     | 5.6     | 3.8  | 104  | 17.7 | -1.1 | 14.3 | 2.5  | 0.0  |     |
| 22 | W 037  | tw | WP 245         | 88      | -8.4    | 3.8  | 104  | 19.8 | 1.0  | 13.2 | 2.6  | 0.0  |     |
| 23 | Or 747 |    | WP<br>486/L318 | 84      | -       | 12.4 | 3.9  | 107  | 20.4 | 1.6  | 15.5 | 3.2  | 0.8 |
| 24 | Gn 161 |    | Gun 026        | 107     | 10.6    | 4.1  | 112  | 20.0 | 1.2  | 15.4 | 3.1  | 0.6  |     |
| 25 | Gn 154 |    | Gun 026        | 81      | -       | 15.4 | 3.7  | 101  | 18.2 | -0.6 | 15.6 | 2.8  | 0.6 |
| 26 | LB 395 |    | WP 245         | 84      | -       | 12.4 | 3.7  | 101  | 19.6 | 0.8  | 16.6 | 3.3  | 0.8 |
| 27 | Rd 634 |    | Gun LB 361     | 107     | 10.6    | 3.4  | 93   | 18.3 | -0.5 | 16.3 | 3.0  | 0.4  |     |
| 28 | Y 327  |    | Back up        | 87      | -9.4    | 3.4  | 93   | 20.2 | 1.4  | 19.1 | 3.8  | 0.6  |     |
| 29 | Gn 139 |    | Gun 026        | 98      | 1.6     |      |      | 17.9 | -0.9 | 14.7 | 2.6  | 0.2  |     |
| 30 | Gn 149 |    | Gun 026        | 105     | 8.6     | 3.8  | 104  | 20.1 | 1.3  | 12.3 | 2.5  | 0.4  |     |
| 31 | Gn 174 |    | Gun 026        | 90      | -6.4    | 3.6  | 99   | 20.2 | 1.4  | 17.7 | 3.6  | 2.2  |     |
| 32 | Y 592  |    | Y 306          | 102     | 0.56    | 3.4  | 93   | 19.3 | 0.5  | 16.5 | 3.2  | 0.6  |     |
| 33 | Or 618 |    | WP<br>486/L318 | 108     | 11.6    | 3.7  | 101  | 18.2 | -0.6 | 15.2 | 2.8  | 0.6  |     |

|    |                    |                |     |      |            |            |             |             |             |            |            |
|----|--------------------|----------------|-----|------|------------|------------|-------------|-------------|-------------|------------|------------|
| 34 | <b>Or 452</b>      | WP<br>486/L318 | 96  | -0.5 | 3.2        | 88         | <b>19.4</b> | <b>0.6</b>  | <b>16.3</b> | <b>3.2</b> | <b>0.2</b> |
| 35 | <b>Or 518</b>      | WP<br>486/L318 | 107 | 10.6 |            |            | <b>18.9</b> | <b>0.1</b>  | <b>14.5</b> | <b>2.7</b> | <b>0.6</b> |
| 36 | <b>Y 552</b>       | Y 306          | 90  | -6.4 | 3.1        | 85         | 18.1        | -0.7        | 14.9        | 2.7        | 0.4        |
| 37 | <b>W 041</b>       | WP 245         | 91  | -5.4 | 3.9        | 107        | <b>16.5</b> | <b>-2.3</b> | <b>15.3</b> | <b>2.5</b> | <b>0.2</b> |
| 38 | <b>W 051</b>       | WP 245         | 96  | -0.5 | <b>3.4</b> | <b>93</b>  | <b>19.2</b> | <b>0.4</b>  | <b>15.5</b> | <b>3.0</b> | <b>0.6</b> |
| 39 | <b>Rd 657</b>      | Gun LB 361     | 90  | -6.4 | 3.1        | 85         | <b>18.8</b> | <b>0.0</b>  | <b>14.3</b> | <b>2.7</b> | <b>0.0</b> |
| 40 | <b>LB 481</b>      | WP 245         | 82  | 14.5 | 4.4        | 120        | <b>18.3</b> | <b>-0.5</b> | <b>15.4</b> | <b>2.8</b> | <b>0.6</b> |
| 41 | <b>Rd 651</b>      | Gun LB 361     | 98  | 1.6  | 3.4        | 93         | <b>19.1</b> | <b>0.3</b>  | <b>13.5</b> | <b>2.6</b> | <b>0.2</b> |
| 42 | <b>Gn 157</b>      | Gun 026        |     |      | <b>4.2</b> | <b>115</b> | <b>21.4</b> | <b>2.6</b>  | <b>13.4</b> | <b>2.9</b> | <b>0.6</b> |
| 43 | <b>W 007</b>       | WP 245         | 88  | -8.4 | 3.6        | 99         | <b>18.3</b> | <b>-0.5</b> | <b>15.2</b> | <b>2.8</b> | <b>0.6</b> |
| 44 | <b>Bl 162</b>      | L 965          | 87  | -9.4 | 3.9        | 107        | <b>19.0</b> | <b>0.2</b>  | <b>16.0</b> | <b>3.0</b> | <b>0.6</b> |
| 45 | <b>Gn 107</b>      | Gun 026        | 106 | 9.6  | <b>3.1</b> | <b>85</b>  | <b>20.1</b> | <b>1.3</b>  | <b>12.7</b> | <b>2.5</b> | <b>0.0</b> |
| 46 | <b>Gn 150</b>      | Gun 026        | 106 | 9.6  | <b>4.3</b> | <b>118</b> | 20.4        | 1.6         | 19.6        | 4.0        | 2.2        |
| 47 | <b>Bl 406</b>      | backup         | 99  | 2.6  | 3.4        | 93         | <b>17.6</b> | <b>-1.2</b> | <b>15.8</b> | <b>2.8</b> | <b>0.6</b> |
| 48 | <b>Y 308</b>       | Back up        | 93  | -3.4 | <b>3.9</b> | <b>107</b> | 20.1        | 1.3         | 14.1        | 2.8        | 0.8        |
| 49 | <b>Or 487</b>      | WP<br>486/L318 | 94  | -2.4 | <b>4.3</b> | <b>118</b> | 18.4        | -0.4        | 15.1        | 2.8        | 0.8        |
| 50 | <b>Rd 286</b>      | backup         | 91  | -5.4 | <b>3.4</b> | <b>93</b>  | <b>17.2</b> | <b>-1.6</b> | <b>18.2</b> | <b>3.1</b> | <b>0.8</b> |
| 51 | <b>LB 495</b>      | WP 245         | 96  | -0.5 | <b>3.3</b> | <b>90</b>  | 17.3        | -1.5        | 13.3        | 2.3        | 0.0        |
| 52 | <b>Rd 617</b>      | Gun LB 361     | 100 | 3.6  | 3.6        | 99         | 20.2        | 1.4         | 14.5        | 2.9        | 0.2        |
| 53 | <b>Wh<br/>1816</b> | L965           | 97  | 0.5  |            |            | <b>17.6</b> | <b>-1.2</b> | <b>14.3</b> | <b>2.5</b> | <b>0.2</b> |
| 54 | <b>LB 473</b>      | WP 245         | 91  | -5.4 | <b>3.6</b> | <b>99</b>  | 18.7        | -0.1        | 18.2        | 3.4        | 0.2        |
| 55 | <b>LB 398</b>      | WP 245         | 78  | 18.4 | 4.2        | 115        | <b>18.3</b> | <b>-0.5</b> | <b>16.3</b> | <b>3.0</b> | <b>0.8</b> |
| 56 | <b>W 010</b>       | WP 245         | 87  | -9.4 | <b>5.5</b> | <b>150</b> | 18.7        | -0.1        | 16.5        | 3.1        | 0.6        |
| 57 | <b>Gn 146</b>      | Gun 026        | 91  | -5.4 | 2.3        | 63         | <b>19.1</b> | <b>0.3</b>  | <b>14.2</b> | <b>2.7</b> | <b>0.4</b> |
| 58 | <b>Pk 110</b>      | L 2521         | 97  | 0.5  | <b>3.5</b> | <b>96</b>  | 19.8        | 1.0         | 14.4        | 2.9        | 0.6        |
| 59 | <b>Wh<br/>1105</b> |                | 100 | 3.6  | <b>4.0</b> | <b>109</b> | 20.5        | 1.7         | 16.3        | 3.3        | 0.2        |
| 60 | <b>Bl 176</b>      | L 965          | 101 | 4.6  | 4.3        | 118        | 20.8        | 2.0         | 18.5        | 3.8        | 1.6        |
| CC | <b>Gn 111</b>      | Gun 026        | 104 | 7.6  | 4.1        | 112        | 19.6        | 0.8         | 15.8        | 3.1        | 0.4        |
| CC | <b>Gn 138</b>      | Gun 026        | 98  | 1.6  | <b>4.2</b> | <b>115</b> | <b>18.4</b> | <b>-0.4</b> | <b>15.5</b> | <b>2.9</b> | <b>0.4</b> |
| CC | <b>Gn 148</b>      | Gun 026        | 107 | 10.6 | <b>3.8</b> | <b>104</b> | 20.6        | 1.8         | 12.7        | 2.6        | 0.2        |
| CC | <b>W 035</b>       | WP 245         | 95  | -1.5 | 4.5        | 123        |             |             |             |            |            |
| CC | <b>W 055</b>       | WP 245         | 92  | -4.4 | 4.0        | 109        |             |             |             |            |            |
| CC | <b>W 062</b>       | WP 245         | 96  | -0.5 | 5.4        | 148        | 18.5        | -0.3        | 13.9        | 2.6        | 0.4        |
| CC | <b>Y 329</b>       | Back up        | 110 | 13.6 | <b>4.0</b> | <b>109</b> | 18.5        | -0.3        | 13.9        | 2.6        | 0.4        |

**Sires used for 2018 drop rams**

Gunallo 026 - Green tags –special wools

Gunallo 361 – Sire Gunallo 55 Lustre – Red Tags over maiden special & Frame

Wallaloo Park 245 – Sire WP 134068 white Tags & LB tags wool & Special wool

Leachim 142965 – Sire L 153 - Blue Tags (wool ewes)

WP Y 486 & Leachim Wh 318 SYN – orange tags over maiden wools

Lucernbrae Y306 – yellow tags over flats